



Atty. Dkt. No. 049411-0248

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Yu-Chong TAI et al.

Title: Microfluidic Devices and Methods with

Electrochemically Actuated Sample Processing

Appl. No.: 10/603573

Filing Date: 6/24/2003

Examiner: Noguerola

Art Unit: 1753

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR §1.56

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Submitted herewith on Form PTO/SB/08 is a listing of documents known to Applicants in order to comply with Applicants' duty of disclosure pursuant to 37 CFR §1.56.

A copy of each non-U.S. patent document and each non-patent document is being submitted to comply with the provisions of 37 CFR §1.97 and §1.98.

The submission of any document herewith, which is not a statutory bar, is not intended as an admission that such document constitutes prior art against the claims of the present application or that such document is considered material to patentability as defined in 37 CFR §1.56(b). Applicants do not waive any rights to take any action which would be appropriate to antedate or otherwise remove as a competent reference any document which is determined to be a *prima facie* art reference against the claims of the present application.

The USPTO has waived the requirement under 37 CFR 1.98(a)(2)(iii) to submit copies of cited pending applications which are stored in the USPTO's Image File Wrapper (IFW) system. Applications filed on or after June 30, 2003, and international applications that have entered the national stage on or after June 30, 2003, have been or are being scanned into the IFW system. Accordingly, copies of these types of documents are not being supplied in connection with this

application. Reference is being made to OG Notice dated October 19, 2004, Waiver of the Copy Requirement in 37 CFR 1.98 for Cited Pending U.S. Patent Applications.

TIMING OF THE DISCLOSURE

The listed documents are being submitted in compliance with 37 CFR §1.97(b, before the mailing date of the first Office Action on the merits.

RELEVANCE OF EACH DOCUMENT

All of the documents are in English.

Applicants respectfully request that each listed document be considered by the Examiner and be made of record in the present application and that an initialed copy of Form PTO/SB/08 be returned in accordance with MPEP §609.

The Commissioner is hereby authorized to charge any additional fees which may be required regarding this application under 37 CFR §§ 1.16-1.17, or credit any overpayment, to Deposit Account No. 19-0741. Should no proper payment be enclosed herewith, as by a check being in the wrong amount, unsigned, post-dated, otherwise improper or informal or even entirely missing, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 19-0741.

Respectfully submitted,

FOLEY & LARDNER LLP Customer Number: 22428

Telephone: (202) 672-5351

Facsimile: (202) 672-5399

Steven Rutt

Attorney for Applicant

Registration No. 40,153

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for	r form 1449B	PTO		Complete if Known
FORMATI			Application Number	10/603,573
ATEMEN	T BY APPLI	CANT	Filing Date	06/24/2003
IIG 1 1 LUG E			First Named Inventor	Yu-Chong TAI
Lege Submitte	a. August i	1, 2005	Group Art Unit	1753
Delle Submitt	sheets as ne	cessary)	Examiner Name	Unassigned
TAIR 1	of	3	Attorney Docket Number	049411-0248

		U.S. Patent Document			Date of Publication of	Pages, Columns, Lines, Where Relevant	
		Cite No. ¹	Number	Kind Code ² (if known)	Name of Patentee or Applicant of Cited Document	Cited Document MM-DD-YYYY	Passages or Relevant Figures Appear
	B1	09/442,843		Tai et al.	11-18-1999		
	B2	2003-0008192	A1	Tai et al.	01-09-2003		
	В3	2003-0228411	A1	Tai et al.	12-11-2003		
	B4	2004-0237657	A1	Tai et al.	12-02-2004		
	B5	2005-0051489	A1	Tai et al.	03-10-2005		
	B6	4,402,817		Maget	09-06-1983		
	B7	4,687,423		Maget et al.	08-18-1987		
	B8	5,994,696		Tai et al.	11-30-1999		
	B9	6,162,367		Tai et al.	12-19-2000		
	B10	6,240,962	B1	Tai et al.	06-05-2001		
	B11	6,436,229	B2	Tai et al.	08-20-2002		
	B12	6,520,753	B1	Grosjean et al.	02-18-2003		
	B13	6,709,604	B2	Tai et al.	03-23-2004		
		1	1		1		

					r	JREIGN PATENT DOCUMEN			
Examiner Initials*	Cite No.1	For Office ³	eign Patent D	Ocument Kind Co	ode⁵	Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁸
									<u> </u>
								7	

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
	B14	BÖHM, et al., "A closed-loop controlled electrochemically actuated micro-dosing system," J. Micromech., Microeng. Vol. 10, pp. 498-504, (2000).	_
	B15	CAMERON et al., "Electrolytic actuators: Alternative, high performance, material-based devices," PNSA, Vol. 99, No. 12, pp. 7827-7831, (June 11, 2002).	
	B16	CHEN et al., "A Planar Electroosmotic Micropump," Journal of Microelectromechanical Systems, Vol. 11, No. 6, pp. 672-683, (December 2002).	
	B17	CHEN et al., "Generating high-pressure sub-microliter flow rate in packed microchannel by electroosmotic force: potential application in microfluidic systems," Sensors and Actuators B 88, pp. 260-265, (2003).	Г

Examiner Signature		Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandia, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandia, VA 22313-1450.

^{*}Unique citation designation number. *See attached Kinds of U.S. Patent Documents. *Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). *For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. **
"Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 1 of it possible. *Applicant is to place a check mark here if English language Translation is attached.

MODIFIED PTO/SB/08 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control

	Substitute for form	1449B	PTO	Complete if Known			
	INFORMATION DI	SCLO	SURE	Application Number	10/603,573		
	STATEMENT BY	APPLI	CANT	Filing Date	06/24/2003		
	Date Submitted: Au	auct 1	1 2005	First Named Inventor	Yu-Chong TAI		
	Date Submitted. Au	gust i	1, 2005	Group Art Unit	1753		
	(use as many sheets	as ne	cessary)	Examiner Name	Unassigned		
Sheet	2	of	3	Attorney Docket Number	049411-0248		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	тв
	B18	DASGUPTA et al., "Electroosmosis: A Reliable Fluid Propulsion System for Flow Injection Analysis," Analytical Chemistry, Vol. 66, No. 11, pp. 1792-1798, (June 1, 1994).	
	B19	HARRIS, et al., "Shrinking the LC Landscape", Analytical Chemistry, pp. 65A-69A (Feb. 1, 2003).	
	B20	KÄMPER et al., "A Self-Filling Low-Cost Membrane Micropump," International conference on Micro Electro Mechanical Systems, pp. 432-437, (January 1998).	. 30) .033
	B21	LAURELL et al., "Miniaturization is mandatory unraveling the human proteome," Proteomics, Vol. 2, pp. 345-351, (2002).	d i
	B22	LAZAR et al., "Multiple Open-Channel Electroosmotic Pumping System for Microfluidic Sample Handling," Analytical Chemistry, Vol. 74, No. 24, pp. 6259-6268, (December 15, 2002).	
	B23	LEE et al., "Solvent Compatibility of Poly(Dimethylsiloxane)-Based Microfluidic Devices," Analytical Chemistry, Vol. 75, No. 23, pp. 6544-6554, (December 1, 2003).	
	B24	LEE et al., "Fabrication and in vitro test of a microsyringe," Sensors and Actuators 83, pp. 17-23, (2000).	
	B25	LICKLIDER et al., "A Micromachined Chip-Based Electrospray Source for Mass Spectrometry," Analytical Chemistry, Vol. 72, No. 2, pp. 367-375, "January 15, 2000).	
	B26	MOORE et al., "A Microscale Electrospray Interface Incorporating a Monolithic, Poly(styrene- divinylbenzene) Supporting for On-Line Liquid Chromatography/Tandem Mass Spectrometry Analysis of Peptides and Proteins," Analytical Chemistry, Vol. 70, No. 23, pp. 4879-4884, (December 1, 1998).	
	B27	MUNYAN et al., "Electrically actuated, pressure-driven microfluidic pumps," Lap on a Chip, Vol. 3, pp. 217-220, (2003).	
	B28	NEAGU et al., "An electrochemical active valve," Electrochimica Acta, Vol. 42, No. 20-22, pp. 3367-3373, (1997).	
	829	NEAGU et al., "An Electrochemical Microactuator: Principle and First Results," Journal of Microelectromechanical Systems, Vol. 5, No. 1, pp. 2-9	
	В30	NGUYEN et al., "MEMS - Micropumps: A Review," Transactions of the ASME, Vol. 124, pp. 384-392, (June 2002).	-
	B31	PARK et al., "A Piezoelectric Micropump Using Resonance Drive with High Power Density," JSME International Journal, Series C, Vol. 45, No. 2, pp. 502-509, (2002)	
	B32	PAUL et al., "Electrokinetic Generation of High Pressures Using Porous Microstructures," Micro Total Analysis Systems, pp. 49-52, (October 1998).	

Examiner Signature	Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ²For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ³Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁸Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the necess of the individual case. Any comments on the amount of time you are required to complete his form should be sent to the Chef Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA. 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA. 22313-1450.

MODIFIED PTO/SB/08 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control

number Substitute for form 1449B/PTO Complete if Known **Application Number** INFORMATION DISCLOSURE 10/603.573 STATEMENT BY APPLICANT **Filing Date** 06/24/2003 First Named Inventor Yu-Chong TAI Date Submitted: August 11, 2005 Group Art Unit 1753 (use as many sheets as necessary) Unassigned **Examiner Name** Sheet 3 of 3 Attorney Docket Number 049411-0248

		NON PATENT LITERATURE DOCUMENTS	_
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
	B33	REICHMUTH et al., "Increasing the performance of high-pressure, high-efficiency electrokinetic micropumps using zwitterionic solute additives," Sensors and Actuators B 92, pp. 37-43, (2003).	
	B34	REYES et al., "Micro Total Analysis Systems. 1. Introduction, Theory, and Technology," Analytical Chemistry, Vol. 74, No. 12, pp. 2623-2636, (June 15, 2002).	
	B35	SCHABMUELLER et al., "Self-aligning gas/liquid micropump," Journal of Micromechanics and Microengineering, Vol. 12, pp. 420-424, (2002).	
	B36	SELVAGANAPATHY, et al., "Bubble-Free Electrokinetic Pumping," Journal of Microelectromechanical Systems, Vol. 11, No. 5, pp. 448-453, (October 2002).	,
	B37	SHIH et al., "Surface Micromachined and Integrated Capacitive Sensors for Microfluidic Applications," Transducers, pp. 388-391, (2003).	- 2
	B38	STANCZYK et al., "A Microfabricated Electrochemical Actuator for Large Displacements," Journal of Microelectromechanical Systems, Vol. 9, No. 3, pp. 314–320, (September 2000).	-
	B39	SUZUKI et al., "A reversible electrochemical nanosyringe pump and some consideration to realize low-power consumption," Sensors and Actuators B 86, pp. 242-250, (2002).	
	B40	TAKAMURA et al., "Low-voltage electroosmosis pump for stand-alone microfluidics devices," Electrophoresis 2003, Vol. 24, pp. 185-192, (2003).	
	B41	WOIAS et al., "Micropumps – summarizing the first two decades," SPIE, Vol. 4560, pp. 39-52, (2001).	
	B42	WU et al., *MEMS flow sensors for nano-fluidic applications,* Sensors and Actuators A 89, pp. 152-158, (2001).	
	B43	XIE et al., "An Electrochemical Pumping System for On-Chip Gradient Generation," Analytical Chemistry, Vol. 76, No. 13, pp. 3756-3763, (July 1, 2004).	
	B44	XIE et al., "Electrolysis-Based On-Chip Dispensing System for ESI-MS," International Conference on Micro Electro Mechanical Systems, pp. 443-446, (2003).	
	B45	ZENG et al., "Fabrication and characterization of electroosmotic micropumps," Sensors and Actuators B-79, pp. 107-114, (2001).	

Examiner Signature		Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Unique culation designation number. See attached Kinds of U.S. Patent Documents. Enter Office that issued the document, by the two-letter code (WIPO National Control of the past of the region of the Engenor must precode the serial number of the patent document. The indication of the past of the region of the Engenor must precode the serial number of the patent document. The following the particular of the patent document. The following the particular of the patent document under WIPO Standard ST. 16 Foosible. *Particular to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete his form should be sent to the Chief information Officer. Deep to the State of the Chief information officer. As a complete of the Chief information officer. As a complete of the Chief information of the Chief inform